



No. LGSD-II / AC- 24 / 2013 - 14/1289-99

Government of India

Central Water Commission

Lower Godavari Sub Division No-II



Phone: 0883 2468753
FAX: 0883 2468753
Email: aecwc_rjy@yahoo.com

Opp. RTC Bus Complex,
Danavaiah Pet Post.
Rajahmundry -533 103.
Date: 23.12.2013

NOTICE INVITING QUOTATIONS

Sub: Distempering, White washing & Painting of Sub-Division Office building & Front Side Compound wall at LGSD-II, CWC, Rajahmundry.

Sir(s)

Sealed quotations are invited on behalf of President of India from the registered contractors/ firms for the work of "Distempering, White washing & Painting of Sub-Division Office building & Front side compound wall at LGSD-II, CWC, Rajahmundry", so as to reach this office by 15.30 hrs on 08.01.2014. The quotations will be opened by the undersigned on the same day at 16.00 hrs. Intended bidders or their authorized representative may present at the time of opening of quotation, if they wish so.

Sl.No.	Description of work	QTY.	RATE	UNIT	AMOUNT
I	Removing white or colour wash by scrapping and sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete - For ceiling (Code : 14.43) Total ceiling area	217.488		Sqm	
II	Removing dry or oil bound distemper, water proofing cement pain and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete. (Code : 14.46) Total area = {Total inside area + Total outside area }	1116.910		Sqm	
III	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade : Old work (one or more coats) (Coce : 14.45.1) Total inside area	793.730		Sqm	
IV	Finishing walls with water proofing cement paint of required shade : Old work (one or more coats applied @ 2.20 kg/10 sqm) over priming coat of primer applied @ 0.80 litres/10 sqm complete including cost of Priming coat. (Code : 14.64.1) Total area = Total outside area = 540.668 Sqm	540.668		Sqm	
V	Finishing walls with Acrylic Smooth exterior paint of required shade : For Compound wall				

