



No. LGSD-II / AC- 24 / 2014 – 15/1266-73
Government of India
Central Water Commission
Lower Godavari Sub Division No-II



Phone: 0883 2468753
FAX: 0883 2468753

Opp. RTC Bus Complex,
Danavaiah Pet Post,
Rajahmundry -533 103.

Email: sdecwcrjy@gmail.com

Date: 13 /11/2014

NOTICE INVITING QUOTATIONS

Sealed quotations are invited for the work of “**Renovation of old S P Shed (old AE’s Office) for using as Transit Room at LGSDII, CWC, Rajahmundry**” from the **registered and eligible contractors of Central/State/Municipal** so as to reach this office by **16-00 hrs on 29.11.2014**. The quotations will be opened by the undersigned on the same day at 16:30 hrs. Intended bidders or their authorized representative may present at the time of opening of quotations, if they wish so.

Sl.No.	Name of Work and location	Estimated Cost	Time allowed
1	Renovation of old S P Shed (old AE’s office) for using as Transit Room at LGSD II, CWC, Rajahmundry	Rs.1,70,000	45 days from the date of award of work.


The schedule of quantities is enclosed herewith.

Terms & Conditions:

1. The sealed envelope containing quotations should be super scribed “**Renovation of old S P Shed (old AE’s Office) for using as Transit Room at LGSDII, CWC, Rajahmundry**” and the quotations should be signed by the contractor.
2. **An EMD of 2% on quoted total amount** shall be enclosed in the form of **DD in favour of Executive Engineer, LGD, CWC, Hyderabad payable at Hyderabad**. The EMD of unsuccessful bidder will be returned back after finalization of bids. The EMD of the successful bidder will be released on completion of the work in all respects.
3. Contractors quoting quotations **must have PAN number** and the copy of the same is to be submitted. **TDS & other taxes as applicable shall be deducted from the total billed amount** as per the latest Government orders.
4. The department does not bind to accept the lowest quotation and reserve the right to accept or reject any or all the quotations without assigning any reason thereof.
5. The rates quoted should be mentioned inclusive of all duties, taxes and other levies as applicable. No other incidental charges whatsoever will be entertained.
6. The rate quoted should be written both in figures and words. Correction/overwriting in the quotation if any shall be made by initialing, dating and re-writing.
7. Materials should be supplied of good quality and of good condition. The material shall be got approved by the SDE, LGSD-II, CWC, Rajahmundry before start of the work.
8. The work will be carried out in the office premises of the office of Sub Divisional Engineer, Lower Godavari Sub Division-II and as per the instructions directions given by the Sub-Divisional Engineer/LGSD-II/CWC/Rajahmundry or his authorised representative.
9. ~~No~~ Tools and Plants shall be issued to the contractor
10. ~~The~~ rates quoted should be valid at least for a period of three months from the date of opening of the quotation.

11. **Security Deposit @10%** of bill amount will be deducted from the bill and will be released after 6 months from the date of completion of work and on satisfaction of the work done.
12. After satisfactory completion of the work in all respects, **bill will be prepared as per actual measurements only.**
13. The payment will be made generally by Demand draft on SBI after completion of work satisfactorily and on submission of bill in triplicate.
14. This Department is not responsible for any accidents or losses to the property / workers engaged in this work.

Encl: Schedule of quantities


13/11/14
Sub Divisional Engineer
Lower Godavari Sub Division-II,
CWC, Rajahmundry.

Copy for information to:

1. The Superintending Engineer, Godavari Circle, CWC, Hyderabad along with a request to arrange to publish the same in CPP.
- ✓ 2. The Deputy Director, O/o The Chief Engineer, KGBO, CWC, Hyderabad for uploading the same in KGBO website.
3. The Executive Engineer, Lower Godavari Division, CWC, Hyderabad, w.r.to Lr. No. LGD/DB/ Estt/2014-15/2295-97, dated 11.11.2014.
4. O/o the Superintending Engineer, Irrigation Circle, Dowlaiswaram with a request to arrange to keep the copy of NIQ in the office Tender Notice Board for wide publicity.
5. O/o The Assistant Engineer, Investigation Sub Division, Gandhipuram-3, N.W.D.A., Rajahmundry with a request to arrange to keep the copy of NIQ in the Notice Board for wide publicity.
6. O/o The Assistant Engineer, CPWD, Income Tax Office Complex, Rajahmundry with a request to arrange to keep the copy of NIQ in the Notice Board for wide publicity.
7. O/o The Executive Engineer, Civil Works, Rajahmundry Municipal Corporation, Rajahmundry with a request to arrange to keep the copy of NIQ in the Notice Board for wide publicity.
8. O/o The Tahasildar, Rajahmundry with a request to arrange to keep the copy of NIQ in the Notice Board for wide publicity.
9. Notice Board.

Schedule of Quantities

Name of work: **RENOVATION OF OLD SP SHED (OLD AE IS OFFICE)
FOR USING AS TRANSIT ROOM**

Sl.No.	Description of work	QTY.	RATE	UNIT	Amount in figures Rs.	Amount in words
I	Cutting the branch of tree that has been extended over roof of the sp shed, carefully by tying the branch with ropes and cutting piece by piece and lowering to ground level	LS				
II	Taking out doors, windows and clerestory window shutters (steel or wood) including stacking within 50 metres lead (Code:15.13.2)	8.000		Each		
III	Dismantling roofing including ridges, hips, valleys and gutters etc., and stacking the material within 50 metres lead of Asbestos sheet (Code:15.28.2)	90.364		Sqm		
IV	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V Cement mortar 1:3 (1 cement :3 coarse sand) (code No:6.13.1)	8.718		Sqm		
V a	Providing and fixing T-iron frames for doors, windows and ventilators of mild steel Tee-sections, joints mitred and welded, including fixing of necessary butt hinges and screws and applying a priming coat of approved steel primer. (Code:10.13.1)	160.000		Kg		
b	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete. (Code: 9.48.1)	35.000		kg		
c	Providing and fixing factory made ISI marked steel glazed doors, windows and ventilators, side / top / centre hung, with beading and all members such as F7D, F4B, K11 B and K12 B etc. complete of standard rolled steel sections, joints mitred and flash butt welded and sash bars tenoned and riveted, including providing and fixing of hinges, pivots, including priming coat of approved steel primer, but excluding the cost of other fittings, complete all as per approved design, (sectional weight of only steel members shall be measured for payment). (Code:10.11.2)	75.000		Kg		

Sl.No.	Description of work	QTY.	RATE	UNIT	Amount in figures Rs.	Amount in words
d	Providing & fixing glass panes with putty and glazing clips in steel doors, windows, clerestory windows, all complete with : 4.0 mm thick glass panes(Code:10.30.1)	4.860		Sqm		
VI a	Providing and fixing ISI marked flush door shutters conforming to IS : 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters: (Code:9.21.2)	4.752		Sqm		
b	Extra for providing lipping with 2nd class teak wood battens 25 mm minimum depth on all edges of flush door shutters (over all area of door shutter to be measured).(Code:9.23)	4.752		Sqm		
c	Providing and fixing nickel plated M.S. pipe curtain rods with nickel plated brackets : 20 mm dia (heavy type) (Code:9.47.1)	7.600		m		
d	Providing and fixing ISI marked oxidised M.S. tower bolt black finish, (Barrel type) with necessary screws etc. complete : 250x10 mm (Code:9.63.1)	4.000		Nos		
e	Providing and fixing bright finished brass 100 mm mortice latch and lock with 6 levers and a pair of lever handles of approved quality with necessary screws etc. complete.(code:9.76)	2.000		Nos		
VII	24 mm thick factory made PVC door shutters made of styles and rails of a uPVC hollow section of size 59x24 mm and wall thickness 2 mm (± 0.2 mm) with inbuilt edging on both sides. The styles and rails mitred and joint at the corners by means of M.S. galvanised/plastic brackets of size 75x220 mm having wall thickness 1.0 mm and stainless steel screws. The styles of the shutter reinforced by inserting galvanised M.S. tube of size 20x20 mm and 1 mm (± 0.1 mm) wall thickness. The lock rail made up of 'H' section, a uPVC hollow section of size 100x24 mm and 2 mm (± 0.2 mm) wall thickness, fixed to the shutter styles by means of plastic/galvanised M.S. 'U' cleats. The shutter frame					

Sl.No.	Description of work	QTY.	RATE	UNIT	Amount in figures Rs.	Amount in words
	filled with a uPVC multi-chambered single panel of size not less than 620 mm, having over all thickness of 20 mm and 1 mm (\pm 0.1 mm) wall thickness. The panels filled vertically and tie bar at two places by inserting horizontally 6 mm galvanised M.S. rod and fastened with nuts and washers, complete as per manufacturer's specification and direction of Engineer-in-charge. (For W.C. and bathroom door shutter). shutter i/c carriage (Code:9.118.1)	3.168		Sqm		
VIII	Providing wood work in frames of false ceiling, partitions etc. sawn and fixed in position : Hard country wood For replacing damaged ones in the existing frame	LS		LS		
IX	Providing high impact Polypropylene reinforced cement 6 mm thick corrugated sheets (as per IS: 14871) roofing up to any pitch and fixing with polymer coated J, or L hooks, bolts and nuts 8 mm dia. G.I. plain and bitumen washers or with self drilling fastener and EPDM washers etc. complete (excluding the cost of purlins, rafters and trusses), including cutting sheets to size and shape wherever required. (Code:12.8)	90.364		Sqm		
X	Providing and fixing ridges and hips in fibre cement high impact polypropylene reinforced roofing with suitable fixing accessories or self drilling fastener and EPDM washer etc. complete. Corrugated serrated adjustable ridges (Code:12.12.1)	7.600		m		
XI	Providing and fixing insulating board ceiling of approved quality with necessary nails etc. complete (frame work to be paid separately) : Flame retardant face insulating board 12 mm thick (Code:12.24.3.1)	26.600		Sqm		
XII	Providing and fixing water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests (code	1.000		Each		

Sl.No.	Description of work	QTY.	RATE	UNIT	Amount in figures Rs.	Amount in words
XIII	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China Wash basin size 630x450 mm with a single 15 mm C.P. brass pillar tap (Code No.17.7.2)	2.000		each		
XIV	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing :					
	17.32.2 Rectangular shape 453x357 mm	2.000		each		
	17.32.4 Rectangular shape 1500x450 mm	2.000		each		
XV	Providing and fixing 100 mm sand cast Iron grating for gully trap.(Code:17.29)	2.000		Each		
XVI	Providing and fixing soil, waste and vent pipes : (Code:17.35.1)	9.500		m		
XVII	Making connection of drain or sewer line with existing manhole including breaking into and making good the walls, floors with cement concrete 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) cement plastered on both sides with cement mortar 1:3 (1 cement : 3 coarse sand), finished with a floating coat of neat cement and making necessary channels for the drain etc. complete :(Code:19.21.1)	1.000		Each		
XVIII	Providing and fixing G.I. pipes complete with G.I. fittings and clamps, i/c cutting and making good the walls etc.(Code:18.10.1)	10		m		
XIX	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 :(Code:18.49.1)	6		Each		
XX a	Wiring for light point/fan point/exhaust fan point/call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface/recessed steel conduit,with piano type switch,phenolic laminated sheet,suitable M.S box and earthing the point with 1.5sq.mm FRLS PVC insulated copper conductor single core cable etc: as	13		Points		
b	Procurement of electrical items	LS		LS		
XXI	15 mm cement plaster on the rough side of single or half brick wall of mix CM:1:6 Toilet partition wall(Code:13.2.2)	15		Sqm		

Sl.No.	Description of work	QTY.	RATE	UNIT	Amount in figures Rs.	Amount in words
XXII	Removing white or colour wash by scrapping and sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete (Code : 14.43)	230.214		Sqm		
XXIII	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade : Old work (one or more coats) Inside area (Code : 14.45.1)	121.44		Sqm		
	White washing with lime to give an even shade : Old work (two or more coats) outside area (Code:14.42.1)	108.774		Sqm		
XXIV	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade :					
a	13.61.1 Two or more coats on new work	2.549		Sqm		
b	14.54.1 One or more coats on old work	2.615		Sqm		
TOTAL						

Signature of the Contractor

Date: