

भारत सरकार / Government of India
केन्द्रीय जल आयोग/ Central Water Commission
निचली कृष्णा मंडल/ Lower Krishna Division

कृष्णा -गोदावरी भवन ,/Krishna Godavari Bhavan
म.सं. 11-4-648, तीसरी मंजिल, / 11-4-648, III Floor
ए सी गार्ड्स, हैदराबाद-4/A.C. Guards, Hyderabad-4

No: LKD/T-2./2012-13/JE(HQ)/ 5228-31

दिनांक : 19.12.2013.

NOTICE INVITING QUOTATION

Sealed quotations are invited on behalf of the president of India by the Executive Engineer, Lower Krishna Division. CWC, Hyderabad from the reputed firms for supply of the following items so as reach this office on or before **30.12.2013 up to 3.00 PM.** The quotation will be opened on the same day at 3.30 P.M in presence of the quotationer or their authorized representative.

Sl.No.	Description of Instrument	Qty.	Remarks
1.	25 HP O.B.Engine (Specification enclosed)	3 nos.	

TERMS & CONDITIONS:

1. Detail specification for each equipment model need to be mentioned and catalogue showing the specification need to be supplied along with quotation.
2. The rates are to be quoted F.O.R destination inclusive of packing forwarding, freight, insurance, if any, at the office of the Executive Engineer, Lower Krishna Division, CWC, Hyderabad-500004.
3. The rates are to be quoted in figures as well as in words. In case of discrepancies, the rate quoted in words will be treated as final.
4. The quotation should be addressed to the Executive Engineer, Lower Krishna Division, Central Water Commission, Krishna Godavari Bhawan, H.No.11-4-648, IVth Floor, A.C. Guards, Hyderabad-500 004(A.P.).
5. All duties, taxes (except Octroi) transportation and other levies payable by the supplier/contractor under the contract shall be included in the total price.
6. The sealed cover containing the quotation should be superscribed with the words **"QUOTATION FOR SUPPLY OF 25 HP O.B.ENGINE " DUE DATE ON 30.12.2013.**
7. Only those firms who are using good quality of materials as stipulated in the **Indian Standards (I.S)** and will be able to make supply immediately need to quote their rates.
8. Quotations for part of the material will be rejected.
9. All the corrections/ over writing should be duly attested. Else it will make the quotation disqualify.
10. All the materials should have a guarantee in all respect for a period of minimum one year from the date of supply.
11. After sale, service facilities may be specifically mentioned.
12. Only those firms having TIN number can be eligible to submit their quotation.
13. Indicated quantities may increase or decrease at the time of supply order as per our requirement.
14. Payment will generally be made by crossed cheque / demand draft payable at near by SBI branch within 15 days from the date of completion of supply, correct and in good condition in all respects or receipt of your bill whichever is later.
15. Validity of your quotation should be for a period of minimum 90 days from the date of opening of quotation.

16. The undersigned reserves the right to reject a part or the whole of quotation without assigning any reason thereof.
17. The supply of the materials should be completed within 30 days from the date of issue of purchase order.

संलग्न: उपरोक्त

आरिफुल्ला बैग
(आरिफुल्ला बैग)
अधिवासी अभियंता
निचली कृष्णा मंडल

Copy for information to:

- ✓ 1. Technical manager, o/o The Chief Engineer, K&GBO, CWC, Hyderabad for inclusion in the K&GBO website and Central Procurement Portal (CPP)
2. The Accounts Branch, LKD, CWC, Hyderabad.
3. Drawing Branch, LKD, CWC, Hyderabad.
4. Notice Board.

SPECIFICATION OF 25 HP OB ENGINEE

O/M transom height (mm/inch):	550/21.7
Weight :	54.5 Kg.
Engine type :	2 Cyl.
Displacement (cm3) :	496
Bore x Stroke (mtr) :	72x61
Output (Km/Hp) :	18.4/25.0
Max. Operating range (rpm) :	4500-5500
Fuel Induction system :	Carb
Ignition :	CDI
Gear ration :	13.27(2.08)
Operation Method :	Tiller Handle
Lubrication :	Pre-Mix
Steering System :	Manual 40⁰ each side
Trim & Tilt Method :	Manual
Engine stop switch lanyard :	Manual
Fuel Tank :	24: PETROL
Propeller :	Required
Tool Kit :	Required
Emergency starter rope :	Required
Compression Ratio :	6.2