




**The Dissolved Oxygen meter should have**

- includes barometric pressure measurement and calibration with a user selectable unit with salinity, pressure and temperature compensation.
- LCD/LED Display
- Dissolved Oxygen probe with built-in temperature sensor with 4m cable
- Spare membranes,
- Electrolyte solution
- Rechargeable batteries and instruction manual

**NOTE:** Both pH, EC, TDS, Temperature meter and Dissolved Oxygen meter should be in one carrying case (Brief case)

**Terms & Conditions:**

1. The envelop, containing the quotations, should be super-scribed "Quotation for the supply of the pH, EC, TDS, Temperature meter and Dissolved Oxygen meter (water analysis kit)" date of opening 26<sup>th</sup> November, 2012
2. The exact rates and percentage of all taxes chargeable, if any, may please be mentioned.
3. Payment will be made by Cheque on State Bank of India, Red Hills, Hyderabad after receipt of the materials in full and good condition.
4. The minimum period of validity of the rate quoted may be kept open invariably for two months from the date of opening of the quotations. In case the validity is not indicated, it will be taken as two months.
5. Alterations, over-writings, if any, on the quotations should be attested, without which the quotation is likely to become invalid.
6. The under signed reserves the right to reject any one or all the quotations without assigning any reason.
7. The rates should be f.o.r. Hyderabad covering all risks during transit.
8. The undersigned reserves the right to increase or decrease the quantity indicated.



(G.RAMBABU)  
Executive Engineer  
अधिरासी अभियंता

Upper Godavari Division

**Copy to:-**

- 1 The Superintending Engineer, Godavari Circle, CWC, Hyderabad requesting for uploading the same to CPP Portal.
- 2 Smt. Rekha Rani, AD O/o the CE, KGBO, CWC, Hyderabad for uploading the same in KGBO Web site.
- 3 The Sr. Research Assistant, KGBOWQ Lab Level-III, UGD, CWC, Hyderabad.
- 4 Asstt. Accounts Officer, Accounts Section, UGD, CWC, Hyderabad.
- 5 Quotation file.
- 6 Notice board.

27/11

9/11

27/11

AD

